


LED Strip Light

WLT



WLT LED Strip Light

Benefits

- Saving up to 60-70% Compared to High intensity discharge lamps
- Better visibility & uniformity
- Minimum Maintenance

Features


- Efficient Secondary optics
- Adjustable angle
- Selectable power option
- Useful life of 50,000 Hours

Application

- Cove of hotels & home
- Showroom
- Banquet hall

Technical Data Sheet of LED Strip Light (5050)		
S.No	Technical Parameters	Specified values
Electrical Parameters		
1	Input Voltage range (Driver)	120 V-270 V AC
2	Strip Running Voltage	12 VDC
2	Rated Wattage	14.4 W/Meter or 4.4 W/Feet
3	Power factor (Driver)	≥ 0.95
4	Total harmonic Distortion (THD)	≤ 15%
5	Driver Efficiency	≥ 90%
6	LED Driving Current	350mA -500mA
7	Control Circuit	CV Compatible to LED
Optical Parameters		
1	LED Make	OSRAM/NICHIA/CREE/everlight
2	LED Efficacy	≥ 340 Lumen/feet for 6500K and 305Lumen/feet for 3000K
3	Color Temperature (CCT)	3000 K to 6500K
4	Color rendering Index (CRI)	≥75
5	Total Lumen Output	340 Lumen/feet for 6500K and 305Lumen/feet for 3000K
6	Optical Efficiency	≥90%
7	Beam Angle	>120°
8	Uniformity	NR
9	LED Life	≥50,000 hours
Mechanical Parameters		
1	Casing	3M Copper Real
2	Lens	Above LED
3	Fixing Base	Surface mounted
4	Lens transitivity	≥90%
5	Lens Make	Carclo/Khathod/WLT
6	Material used for MCPCB	AL. Metal Core
7	PCB type	For Driver Epoxy FR4 & For LED MCPCB
8	Wires & cables	Wires used are Low smoke halogen free & fire retardant
Functional Parameters		
1	Ingress Protection	Entire housing & Driver is IP 65
2	Temperature & humidity	Temperature range -5to 50° and Humidity 10% to 90% RH
3	Aerodynamics	NA
4	Insulation resistance	IR >2MΩ @500VDC
5	High Voltage Test	1.5 VDC for 1 min
6	Endurance test	400V AC for 4 hours
7	High Voltage Protection	Up to 400V
8	Surge Protection	>4KV
9	EMI Protection	Provided
Conformance/ Compliance		
1	IS-16101,IS-16102,IS-16104,IS-16105,IS-16106	Conform
2	IS-10322,	Conform
3	Impact Resistance -	IK-05
4	CE /ROHS	Conform

Photometric data:



Similar product picture:



LED Strip Light	Wattage	Color Temperature	Product Code
LED Strip Light	72W	WW/NW/CW	NPWLSTR72w WW/NW/CW
LED Strip Light	72W	WW/NW/CW	NPWLSTR72w RGB

